

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6873982".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:18
L2	38	Madnick.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:18
L3	2	Madnick.in. and 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:48
L4	2	"6484149".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:48
L5	2607	"6484149"" .pn.and" (parse\$ with HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:48
L6	2607	"6484149.pn.and" (parse\$ with HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:49
L7	2	"6484149".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:49
L8	1	7 and (parse\$ with HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:33

EAST Search History

L9	4	(parse\$ with HTML with table) same retrieve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:56
L10	12	(parse\$ with HTML with table) same extract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:57
L11	1	7 and (parse\$ same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:59
L12	1	7 and ((extract\$3 or retriev\$3) same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:34
L13	1	7 and (HTML with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:03
L14	0	7 and (HTML near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:07
L15	6	retrieve with (HTML near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:12
L16	5024	(binary near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:13

EAST Search History

L17	190	(retriev\$ with (binary near2 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:13
L18	0	(retriev\$ with (binary near2 file)) and (authentication with URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:13
L19	0	(retriev\$ with (binary near2 file)) and (password with URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:14
L20	5	(retriev\$ with (binary near2 file)) and (permission with URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:15
L21	98	(stor\$3 with query) same ((provid\$3 with query) with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:27
L22	31	(stor\$3 with query) same ((provid\$3 with query) with client)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:17
L23	296	(request\$3 with parse\$ with HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:35
L24	13	(request\$3 with parse\$ with HTML) same retrieve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:38

EAST Search History

L25	0	(motivation same HTML).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:38
L26	32	(motivation same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:39
L27	8218	(HTML).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:40
L28	60	(HTML near2 table).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:40
L29	10	(HTML near2 table).clm. and (HTML near2 table).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:41
L30	5	(HTML near2 table).clm. and (HTML near2 table).ab. and (retriev\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:47
L31	0	(extract with (binary near2 file)) and 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:47
L32	3	(retrieve with (binary near2 file)) and 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:49

EAST Search History

L33	14	(retrieve with (binary near2 file)) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:49
L34	34	(retriev\$ with (binary near2 file)) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:51
L35	1	09/833846	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:54
L36	1074	parsing with HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:54
L37	483	36 and (retriev\$3 same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:54
L38	170	36 and (retriev\$3 with data same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:55
L39	95	36 and (retriev\$3 with data same HTML)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:01
L40	8	(extracting with (binary near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:01
L41	16	(retrieving with (binary near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:03

EAST Search History

L42	495	(binary near2 file).ab.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:09
L43	61	(download\$3 with (binary near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:09
L44	4	(download\$3 with (binary near2 file)) and HTML	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:10
L45	1	(copy\$3 with (binary near2 file)) and HTML	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:11
L46	4	(cop\$3 with (binary near2 file)) and HTML	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:12
L47	15	(transfer with (binary near2 file)) and HTML	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:22
L48	8	(parse with HTML) same tables	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:23
L49	20	21 and IBM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:27
L50	1	7 and (stor\$3 with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:34

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6873982".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:18
L2	38	Madnick.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:18
L3	2	Madnick.in. and 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:48
L4	2	"6484149".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:48
L5	2607	"6484149"".pn.and" (parse\$ with HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:48
L6	2607	"6484149.pn.and" (parse\$ with HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:49
L7	2	"6484149".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:49
L8	1	7 and (parse\$ with HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:33

EAST Search History

L9	4	(parse\$ with HTML with table) same retrieve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:56
L10	12	(parse\$ with HTML with table) same extract	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:57
L11	1	7 and (parse\$ same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 11:59
L12	1	7 and ((extract\$3 or retriev\$3) same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:34
L13	1	7 and (HTML with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:03
L14	0	7 and (HTML near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:07
L15	6	retrieve with (HTML near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:12
L16	5024	(binary near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:13

EAST Search History

L17	190	(retriev\$ with (binary near2 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:13
L18	0	(retriev\$ with (binary near2 file)) and (authentication with URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:13
L19	0	(retriev\$ with (binary near2 file)) and (password with URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:14
L20	5	(retriev\$ with (binary near2 file)) and (permission with URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:15
L21	98	(stor\$3 with query) same ((provid\$3 with query) with client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:27
L22	31	(stor\$3 with query) same ((provid\$3 with query) with client)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:17
L23	296	(request\$3 with parse\$ with HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:35
L24	13	(request\$3 with parse\$ with HTML) same retrieve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:38

EAST Search History

L25	0	(motivation same HTML).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:38
L26	32	(motivation same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:39
L27	8218	(HTML).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:40
L28	60	(HTML near2 table).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:40
L29	10	(HTML near2 table).clm. and (HTML near2 table).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:41
L30	5	(HTML near2 table).clm. and (HTML near2 table).ab. and (retriev\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:47
L31	0	(extract with (binary near2 file)) and 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:47
L32	3	(retrieve with (binary near2 file)) and 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:49

EAST Search History

L33	14	(retrieve with (binary near2 file)) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:49
L34	34	(retriev\$ with (binary near2 file)) and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:51
L35	1	09/833846	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:54
L36	1074	parsing with HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:54
L37	483	36 and (retriev\$3 same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:54
L38	170	36 and (retriev\$3 with data same HTML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 12:55
L39	95	36 and (retriev\$3 with data same HTML)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:01
L40	8	(extracting with (binary near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:01
L41	16	(retrieving with (binary near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:03

EAST Search History

L42	495	(binary near2 file).ab.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:09
L43	61	(download\$3 with (binary near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:09
L44	4	(download\$3 with (binary near2 file)) and HTML	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:10
L45	1	(copy\$3 with (binary near2 file)) and HTML	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:11
L46	4	(cop\$3 with (binary near2 file)) and HTML	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:12
L47	15	(transfer with (binary near2 file)) and HTML	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:22
L48	8	(parse with HTML) same tables	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:23
L49	20	21 and IBM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:27
L50	1	7 and (stor\$3 with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 13:34